
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



SPRING, 1901

Wholesale Trade-List

OF.

SOUTHWICK NURSERIES



Deciduous and Evergreen
Trees and Shrubs

Hardy Ferns and Flowers

Bog Plants and Orchids



EDWARD GILLETT

Southwick, Mass., U. S. A.

Edward Gillett's Wholesale Trade-List

SOUTHWICK, MASS., U. S. A.

LOCATION.

I am situated on the line of the New Haven & Northampton division of the N. Y., N. H. & H. R. R., 5 miles south of Westfield, Mass., junction of the Boston & Albany R. R.; 100 miles west of Boston, and 100 miles north of New York.

Goods by express reach New York or Boston within five hours after shipment, and the cost of carriage to all points from here is comparatively light. Freight goes through to New York without change.

TERMS.

Prices are in American money. Six at dozen rates, 50 at 100 rates, 500 at 1,000 rates. Packing at cost.

One dollar is equal in value to a trifle more than four English shillings, four German marks, or five francs.

All bills will be due upon receipt of goods, unless by special agreements. Unknown parties should give good references.

Remit by draft on New York, or by Post Office Order on Southwick, Mass. Foreign Remittances by International Post Office Orders on Westfield, Mass.

The packing season commences as soon as the plants can be got at in spring, about April 10, and lasts about six weeks, and in autumn as soon as the plants are ripe, mostly from September until December.

Address all communications to

EDWARD GILLETT,

SOUTHWICK, MASS., U. S. A.

CONTENTS.

Pa	ge
Deciduous Trees and Shrubs 3-	-6
Evergreen Trees and Shrubs 6-	-7
Vines and Creepers	7
Herbaceous Perennials 7-1	[2
Bog and Aquatic Plants 12-1	13
Orchids13-1	[4
Ferns	5
Club Mosses I	5
Special Collections of Ferns	6

OUR CERTIFICATE OF INSPECTION

Did not arrive in time to be printed in this list, but we will send a copy of it to purchasers when desired

Deciduous Trees and Shrubs.

Nursery-grown stock, except where noted. Coll. signifies collected plants.

ACER Pennsylvanicum (Striped Maple)—	1	2	10	,	1,0	00
ɪ ft.; fine	Ìï	25			-,-	
2 to 5 ft. Coll		75	\$4	00		
rubrum. 3 to 5 ft. Coll	I	00	4	00		
saccharinum (Sugar Maple)—						
5 to 6 ft	I	50				
10 to 12 ft						
spicatum (Mountain Maple). 1½ to 2 ft	I	25	5	00		
ALTHÆA (Shrubby Hibiscus, or Rose of Sharon)—						
purpurea variegata. Double, purple-flowered,						
and variegated foliage; 11/2 ft						
rubra plena. Double, clear red-flowered; 1 1/2 ft.						
totus albus. Single, pure white-flowered; 1 1/2 ft.						
speciosa. Double, purple-flowered; 1½ ft	1	00				
AMELANCHIER Canadensis (Shad Bush)—						
2 to 3 ft. Coll			4	00		
1½ to 2 ft	I	25	6	00		
AMORPHA fruticosa (False Indigo). 4 ft	I	00	5	00		
ARALIA pentaphylla. 1 ft	I	50				
AZALEA arborescens—						
8 to 12 in	I	50	10	00		
1 to 1½ ft	2	50	15	00		
calendulacea (Flame-Colored Azalea)—			-			
8 to 12 in	I	50	8	00		
ı to 1½ ft	2	00	12	00		
nudiflora (Purple Azalea). 1 to 2 ft. Coll	I	00	4	00		
Vaseyi. Light pink—						
6 to 12 in.; good plants			7	00		
I to I ½ ft.; well budded			10	00		
viscosa. I ft			6	00		
BERBERIS purpurea (Purple Barberry). 2 to 2½ ft	I	00	5	00		
Thunbergi-						
I ft		50	_	00		
I to I ½ ft			-	00		
Canadensis. 2 ft	1	25	6	00		
vulgare—			_			
5 to 8 in., seedlings				00		
BETULA papyracea (Paper or Canoe Birch). 2 ft		75 00	4	00		
alba populifolia (American White Birch). 2 to	1	00				
3 ft. Coll	т	00	2	00		
			_			
CEANOTHUS Americanus (New Jersey Tea)			_	00		
CELTIS occidentalis (Hackberry). 2 to 3 ft			. 8	00		
CEPHALANTHUS occidentalis (Button Bush). I to I 1/2 ft.	I	00	5	00		
CERCIS Canadensis (American Judas Tree). 2 to 3 ft.; fine.	I	50	8	00		
CLETHRA alnifolia (Sweet Pepper Bush). 11/2 to 2 ft			5	00		
COMPTONIA asplenifolia (Sweet Fern). Coll	Ī	50		00	\$T =	00
CODNITS alternifolia		-	3	50	#13	00
CORNUS alternifolia— I to I ½ ft		0.5	_	00		
2 to 4 ft good roots : Coll	1	25		00		
2 to 4 ft., good roots. Coll				00		
circinata. 2 to 3 ft. Coll	ī	00	4	00		

		**	*		
CORNUS florida. I ft		12 75	\$3		1,000
Mas (Cornelian Cherry) I ft			3 (
paniculata. 1½ to 2 ft			6		
sericea—					
2 ft			5	00	
3 ft.; very bushy.	I	50	7	00	
stolonifera-					
2 to 3 ft			5		
3 to 4 ft		_	6 (
CORYLUS Americanus (Wild Hazelnut). 2 to 3 ft. Coll.		75	4	00	
CHESTNUT, American. 2 to 2½ ft	1	25			
DIRCA palustris (Leatherwood). I ft. Coll		75	4 (00	
DIERVILLA trifida (Bush Honeysuckle). 1 to 2 ft	1	00	5 (00	
DEUTZIA crenata. I ft., bushy		75	4 (00	
EUONYMUS Americanus (Strawberry Bush). I ft	I				
Americanus, var. obovatus	I	00	5 (00	
atropurpurea (Burning Bush). 2 ft	I	25	5 (
radicans, var. variegata. Golden-striped					
leaves; 8 to 12 in	I	00	3 (00	
FAGUS purpurea (Purple Beech). 6 to 7 ft., stocky, XX.					
FORSYTHIA viridissima. 4 ft	1	25	5 (00	
GAYLUSSACIA resinosa (Black Huckleberry). 1 ft. Coll.		50	3 (00	
HAMAMELIS Virginica (Witch-hazel)—					
2-yr. seedlings			2 (00	
ı ft	1	00	5 (oc	
2 ft			8 (00	
2 to 3 ft			10 (00	
HYDRANGEA arborescens (Wild Hydrangea). 2½ to 3 ft.	I	25	6 (
radiata. 2 ft	Ι	25	6 (00	
paniculata. 3 to 4 ft., clumps paniculata grandiflora. 3 ft.; fine	2	00			
ILEX verticillata—	1	50			
2 to 3 ft.; good roots. Coll		~ -			#20.00
1 to 1½ ft		75 75	4 0		\$20 00
LAURUS Benzoin (Spice Bush). 2 to 2 ½ ft		75 25	_		
LIGUSTRUM ovalifolium (Californian Privet). 2 ft	,	_	6 0		
vulgare (Common Privet). 2 ft	т	75	4 (
Ibota. 1½ ft	T	00	4 0		
LIRIODENDRON tulipifera (Tulip-tree). 4 to 5 ft			4	,,	
LONICERA ciliata (Fly Honeysuckle). 2 ft.; fine					
oblongifolia. 2 ft.; good roots	1	25	5 0	00	
MYRICA cerifera (Bayberry)—	1	45			
6 in.; seedlings			3 0	00	
I to 2 ft	T	25	5 0		
gale (Sweet Gale). Ift.	I	00	5 0		
NEMOPANTHES Canadensis (Mountain Holly). Coll	Ţ	00	4 (
PHILADELPHUS coronarius (Mock Orange). I ft	•	50	3 0		
grandiflorus. I ft		50	3 0		
PTELEA trifoliata (Hop Tree). 5 to 6 ft	Ţ	25	6 0		
POTENTILLA fruticosa. 2 ft	т	-2		_	
PYRUS arbutifolius. 2 ft.	Ť	25	6 c	00	
PRUNUS pumila (Dwarf Cherry). 1 to 2 ft	_	45	0 0	,0	
2 Rossos pumina (Dwarr Cherry). 1 to 2 It	1	00			

	***	* ***
QUERCUS alba (White Oak). 1½ ft.; trans\$1 25	100	1,000
bicolor (Swamp White Oak). 2 to 2 ½ ft.;, trans. 1 50		
coccinea (Scarlet Oak). 3 ft.; trans 1 50		
humilis (Dwarf Chestnut Oak). 3 ft.; trans.;		
3 yrs 1 50		
ilicifolia (Black Scrub Oak). 2 ft.; trans 1 50		
nigra (Black Jack). 1½ ft.; trans 1 50		
palustris (Pin Oak). I ft.; trans I oo		
rubra (Red Oak). 3 ft.; trans 1 50		
RHAMNUS alnifolius. 1 to 2 ft. Coll 1 00	\$4 00	
RHODORA Canadensis. I ft., XX 1 25	5 00	
RHUS aromatica (Fragrant Sumach)—		
8 in.; seedlings 75	3 00	
12 in. Coll 1 00	4 00	
cotinus. 3 ft 1 25	5 00	
copallina (Dwarf Sumach). Ift. Coll I oo	3 00	\$15 00
glabra (Smooth Sumach). 2 to 4 ft. Coll 1 00	3 00	15 00
typhina (Common Stag Horn Sumach). 2 to 4 ft.		
Coll 1 00	3 00	15 00
RIBES cynosbati (Wild Gooseberry)—		
2 ft.; fine 1 25	6 00	
2 ft. Coll 75	3 00	
aureum. I to 2 ft		
floridum (Wild Black Currant). 2 ft 1 00	4 00	
prostratum (Fetid Currant). 1 ft. Coll 1 00	3 00	
ROSA blanda (Early Wild Rose). I to 2 ft	5 00	
Carolina (Swamp Rose). 2 ft.; fine. Coll 1 00	3 00	25 00
cinnamomea. I ft	4 00	
lucida (Dwarf Wild Rose). 1 to 2 ft 1 25	5 00	
rugosa—		
I to I ½ ft I 25	5 00	
2½ to 3 ft.; bushy I 50	8 00	
rugosa alba. I to I½ ft	6 00	
Crimson Rambler. Fine plants I 50		
White Rambler (Thalia). Double white		
Yellow Rambler (Aglaia). Double yellow 1 25		
Pink Rambler (Euphrosyne)		
Rubiginosa (English Sweetbrier). 2 ft		
Wichuraiana (New Hardy Creeping Rose). 1 ft. 125	6 00	
RUBUS odoratus (Flowering Raspberry). 2 to 3 ft 1 25	5 00	
delicious. 1 to 2 ft.; pure white flowers 1 25	5 00	
occidentalis (Black Raspberry). Coll	3 00	
strigosus (Red Raspberry). 2 to 3 ft. Coll 75 villosus (High Blackberry). 2 to 3 ft. Coll 1 oo	3 00	
CATTS7 '4 11' (C. 11 D. 1. 1 TTT'))		
vitellina Britzensis (Red-Barked Willow) 1 00		
,		
SAMBUCUS Canadensis (Common Elder). 2 to 3 ft I 25	5 00	
pubens (Red-Berried Elder). 2 to 3 ft 1 25	5 00	

ROSA WICHURAIANA HYBRIDS.

\$1.25 per dozen.

Manda's Triumph. Double white. Very pretty.

Universal Favorite. Double pink.

South Orange Perfection. Double white and pink.

Pink Roamer. Single pink.

SPIRÆA argentea. I ft	\$4 00	1,000
opulifolia. 4 ft.; fine		
opulifolia aurea. 4 ft 1 25	5 00 6 00	
salicifolia. Flesh-colored. 2 to 3 ft I oo	4 00	
tomentosa (Steeple Bush). 2 ft	4 00	
tomentosa aurea. I to 2 ft I 25		
Van Houttei—	5 00	
2 ft I 00	4 00	
	4 00	
3 to 3½ ft.; very bushy 1 50	6 00	
STAPHYLEA trifolia (Bladder Nut). 2 to 3 ft 1 25	5 00	
SYMPHORICARPUS racemosus, var. pauciflorus (Dwarf		
Snowberry). Nice plants 1 00	4 00	
vulgaris (Indian Currant). 2 to 3 ft. 1 oo	4 00	
SYRINGA Japonica. I ft I oo		
vulgaris. 1 ft		
VACCINIUM Pennsylvanicum (Dwarf Blueberry). Coll 1 25	5 00	
vacillans (Low Blueberry). Yellow bark. Coll. 75	3 00	
stramineum (Deerberry). 2 to 3 ft. Coll 1 00	4 00	
corymbosum (Swamp Blueberry)—	, -3	
2 to 4 ft 1 50		
2 to 3 ft. Coll 1 00	4 00	
VIBURNUM acerifolium (Maple-Leaved Viburnum). 1 ft. 1 25	5 00	
cassinoides—	3 00	
I ft I 00	5 00	
2 to 3 ft. Coll 1 25	5 00	
dentatum—	5 00	
2 ft I 50	7 00	
2 to 3 ft	10 00	
lantana (Wayfaring Tree). 1 ft 75		
lantanoides (Hobble Bush). I to 3 ft. Coll. I oo	4 00	
Lentago (Sheepberry)—	1	
2 to 3 ft. Coll	4 00	
ı to 1½ ft 1 25	6 00	
nudum (Withe Rod). Ift 1 00	5 00	
Opulus (Cranberry Tree). 2 to 3 ft 1 25	6 00	
Opulus fl. pl. 1 ft 1 00		
pubescens (Downy Arrow-Wood). 3 ft. Coll. 1 oo	5 00	
prunifolium. 2 ft. Coll 1 00	4 00	
VITIS cordifolia (Frost Grape). 2 ft 1 00	4 00	
WEIGELA rosea variegata. Flowers rose, leaves varie-	4 00	
gated I oo		
EVERGREEN TREES AND SHRU	BS.	
12	100	1,000
ABIES Englemanni. 1 to 2 ft.; extra fine color\$2 50		
excelsa (Norway Spruce). 2 to 3 ft	\$ 8 oo	
Canadensis (Hemlock)—		
ı ft. Coll.	2 00	
I to I ½ ft I 50		
2 to 3 ft. Coll	5 00	
nigra (Black Spruce). I to 2 ft. Coll	3 00	
ANDROMEDA polifolia. I ft.; wet places. Coll 50	2 00	\$12 00
CASSANDRA calyculata (Leather Leaf). 1 to 2 ft. Coll. 50	2 00	12 00
JUNIPERUS communis (Prostrate Juniper). 1 ft. Coll 1 00		
Virginiana (Red Cedar). 1 ft. Coll 1 00		
()		

TATUTA constitutio (Chan I aural) - ft Call	100	1,000
KALMIA angustifolia (Sheep Laurel). 1 ft. Coll 75	3 00	15 00
glauca (Pale Laurel). 1 to 2 ft. Coll 75 latifolia (Mountain Laurel)—	3 00	
8 to 12 in 1 50	10 00	
12 to 18 in., X 3 50	25 00	
1½ to 2 ft., XX 7 00	50 00	
2 to 3 ft., XXX each, \$1.50		
The last three grades are nice, bushy plants, and		
of blooming size.	* 00	
LEDUM latifolium (Labrador Tea). 1 ft 1 25	5 00	
LEUCOTHOË Catesbæi. I ft 1 25	5 00	
MAHONIA aquifolia. 1 ft 1 25	5 00	
RETINOSPORA ericoides. I to I ½ ft 2 00		
plumosa—		
1½ ft 2 00		
4 to 5 ft 5 00		
plumosa aurea. 1½ ft 2 00		
squarrosa. 3 to 5 ft 5 oo		
RHODODENDRON maximum (Great Laurel)—		
9 to 12 in 1 25		
1 to 1½ ft.; strong		
punctatum. 2 to 3 ft.; bloom buds 3 oo		
My Rhododendron maximum is of fine grade, with		•
a mass of fibrous roots.		
TAXUS Canadensis (American Yew)—		
I ft I 25		
1 to 2 ft. Coll	3 00	20 00
THUYA occidentalis (Arborvitæ). 5 to 6 ft 3 00	3 00	40 00
Ellwangeriana. I to I ½ ft.; strong I 50		
VINES AND CREEPERS.	100	1,000
AMPELOPSIS quinquefolia (Virginia Creeper). 1-2 ft.	4	
Coll\$1 00 BIGNONIA radicans (Trumpet Creeper). Large, field-		
	\$ 6.00	
grown I 00	\$ 6 oo	#
CELASTRUS scandens (Bitter Sweet). I to 2 ft. Coll. \$0 75	\$4 00	\$15 00
CLEMATIS coccinea (Scarlet Clematis). Fine, strong 1 25	6 00	
crispa. Strong, bluish purple flowers 1 25	6 00	
paniculata. Pure white flowers, strong plants. 1 50		
Virginiana (Virgin's Bower). Strong. Coll 1 00	4 00	
LONICERA brachypoda. 2 ft.; strong 1 00	5 00	
brachypoda aurea. 1 ft 1 25		
MENISPERMUM Canadense (Canadian Moonseed). Coll. 1 00	4 00	
RUBUS hispidus (Running Swamp Blackberry). Coll 50	2 00	10 00
Canadensis (Low Blackberry). Fine fruit. Coll. 75	3 00	
LIEDDACEOUS DEDENINIALS		

HERBACEOUS PERENNIALS.

For the most part in the following list of Hardy Herbaceous Perennials, I offer nursery-grown plants. Yet some of the North American Wild Flowers are collected in their native habitat; they are, as a rule, easily transplanted.

Collected stock is marked Coll. I yr.—I year in nursery.

			12	100	1,000
ACHILLEA	millefolium	roseum	\$0 50	\$3 00	
	The Pearl.	Pure white; fine	. 75	4 00	

ACTÆA alba (White Baneberry). Coll			
rubra (Red Baneberry). Nice plants. Coll		-44	1,000
ALYSSUM rostratum. 1 yr	rubra (Red Baneberry). Nice plants. Coll 75		
Saxatile compactum—			
1 yr. 50 3 00	savatile compactum	5	
2 yrs	ı yr 50	3 00	
AMARYLLIS Atamasco. Coll	2 yrs	-	
ANEMONE nemorosa. Flowers white. Coll	AMARYLLIS Atamasco. Coll	3 00	
Pennsylvanica Large white flowers 50 3 00 Japonica Single white 1 yr. 1 00 4 00 Japonica Whirlwind." Double, white 1 yr. 1 00 4 00 APIOS tuberosa (Wild Bean). Purple flowers. Coll. 25 1 00 8 00 AQUILEGIA alpina 1 to 2 ft.; flowers blue 2 yrs. 1 25 5 00 Cœrulea 1 yr. 1 1 1 1 1 1 1 1 1	formosissima (Jacobæan Lily). Fire red. 1 00	4 00	
Japoníca. Single white. I yr. I 00 4 00		3 00	\$15 00
Japonica "Whirlwind." Double, white. 1 yr. 1 00 4 00 APIOS tuberosa (Wild Bean). Purple flowers. Coll. 25 1 00 8 00 AQUILEGIA alpina. 1 to 2 ft.; flowers blue. 2 yrs. 1 25 5 00 cœrulea. 1 yr. 1 00 4 00 chrysantha. Large yellow. 1 yr. 1 00 4 00 chrysantha. Large yellow. 1 yr. 1 00 4 00 chrysantha alba. White 1 25 Skinneri. Yellow and orange 1 25 yulgaris. 2 yrs. 1 25 Canadensis. Red and yellow. Coll. 50 3 00 ARISÆMA triphyllum (Wild Turnip) 50 3 00 ARISÆMA triphyllum (Wild Turnip) 50 3 00 ARISÆMA triphyllum (Wild Ginger). Purple flowers. 50 3 00 tuberosa, 1 yr. 50 3 00 ASCLÉPIAS incarnata. Flowers purple, showy; 2 yrs. 75 4 00 tuberosa, 1 yr. 50 3 00 ASTER ericoides. Flowers white, on wand-like stems. Coll. 75 4 00 lævis. Large dark blue flowers. Coll. 75 4 00 multiflorus. Small white flowers; fine. Coll. 75 4 00 multiflorus. Small white flowers; fine. Coll. 75 4 00 patens. Flowers deep purple; low-growing. Coll. 75 4 00 CALLIRRHOË involucrata. Flowers large, crimson, fine. 75 4 00 Carpatica. 2 yrs. 1 00 5 00 Carpatica alba. 2 yrs. 1 00 5 00 Carpatica alba. 2 yrs. 1 00 5 00 medium, double, mixed 1 00 4 00 medium, double, mixed 1 00 4 00 medium, white, single 1 00 4 00 pyramidalis alba. 1 yr. 1 00 4 00 rotundifolia (Harebell) 75 4 00 CASSIA Marilandica (American Senna). 3 ft., yellow. 75 3 00 CAULOPHYLLUM thalictroides (Blue Cohosh) 75 4 00 CASSIA Marilandica (American Senna). 3 ft., yellow. 75 3 00 CAULOPHYLLUM thalictroides (Blue Cohosh) 75 4 00 CHELONE glabra (Snake-Head). White flowers. Coll. 75 4 00 CHELONE glabra (Snake-Head). White flowers. Coll. 75 4 00 CHELONE glabra (Snake-Head). White flowers. Coll. 75 4 00 CHELONE glabra (Snake-Head). White flowers. Coll. 75 4 00 CHELONE glabra (Snake-Head). White flowers. Coll. 75 4 00 CHELONE glabra (Snake-Head). White flowers. Coll. 75 4 00 CHELONE glabra (Snake-Head). White flowers. Coll. 75 4 00 CHELONE glabra (Snake-Head). White flowers. Coll. 75 4 00 CHELONE		3 00	
APIOS tuberosa (Wild Bean). Purple flowers. Coll. 25 1 00 8 00 AQUILEGIA alpina. 1 to 2 ft.; flowers blue. 2 yrs. 1 25 5 00 cœrulea. 1 yr. 1 00 4 00 chrysantha. Large yellow. 1 yr. 1 00 4 00 chrysantha alba. White. 1 25 Skinneri. Yellow and orange 1 25 yulqaris. 2 yrs. 1 25 Canadensis. Red and yellow. Coll. 50 3 00 ARISÆMA triphyllum (Wild Turnip) 50 3 00 ARISTOLOCHIA serpentaria. 75 4 00 ASARUM Canadensis (Wild Ginger). Purple flowers. 50 3 00 ASCLEPIAS incarnata. Flowers purple, showy; 2 yrs. 75 4 00 tuberosa. 1 yr. 50 3 00 ASTER ericoides. Flowers white, on wand-like stems. Coll. 75 4 00 lævis. Large dark blue flowers. Coll. 75 4 00 multiflorus. Small white flowers; fine. Coll. 75 4 00 multiflorus. Small white flowers; fine. Coll. 75 4 00 Novæ-Angliæ (N. E. Aster). Large purple flowers. 75 4 00 patens. Flowers deep purple; low-growing. Coll. 75 4 00 CALLIRRHOË involucrata. Flowers large, crimson, fine. 75 4 00 Carpatica. 2 yrs. 1 00 5 00 Carpatica alba. 2 yrs. 1 00 5 00 Carpatica alba. 2 yrs. 1 00 5 00 Carpatica alba. 2 yrs. 1 00 5 00 medium, White, single. 75 3 00 medium, double, mixed 1 00 4 00 medium, double, mixed 1 00 4 00 pyramidalis it yr. 1 00 4 00 pyramidalis alba. 1 yr. 1 00 4 00 rotundifolia (Harebell). 75 4 00 CASSIA Marilandica (American Senna). 3 ft., yellow. 75 3 00 CAULOPHYLLUM thalictroides (Blue Cohosh). 75 4 00 CHELONE glabra (Snake-Head). White flowers. Coll. 75 4 00 CHMANNICA TORROW T			
AQUILEGIA alpina. 1 to 2 ft.; flowers blue. 2 yrs. 1 25 5 00 cerulea. 1 yr. 1 00 4 00 chrysantha. Large yellow. 1 yr. 1 00 4 00 chrysantha. Large yellow. 1 yr. 1 00 4 00 chrysantha alba. White 1 25 Skinneri. Yellow and orange 1 25 Yulgaris. 2 yrs. 1 25 Canadensis. Red and yellow. Coll. 50 3 00 ARISÆMA triphyllum (Wild Turnip) 50 3 00 ARISTOLOCHIA serpentaria. 75 4 00 ASARUM Canadensis (Wild Ginger). Purple flowers. 50 3 00 IS 00 ASCLÉPIAS incarnata. Flowers purple, showy; 2 yrs. 75 4 00 tuberosa, 1 yr. 50 3 00 ASTER ericoides. Flowers white, on wand-like stems. Coll. 75 4 00 lævis. Large dark blue flowers. Coll. 75 4 00 multiflorus. Small white flowers; fine. Coll. 75 4 00 IS 00 Novæ-Angliæ (N. E. Aster). Large purple flowers 75 4 00 patens. Flowers deep purple; low-growing. Coll. 75 4 00 CALLIRRHOË involucrata. Flowers large, crimson, fine. 75 4 00 Cusickii. 2 ft.; light blue, large bulbs 1 25 CAMPANULA alliariæfolia. 1 yr 50 3 00 Carpatica. 2 yrs. 1 00 5 00 medium, double, mixed 1 00 4 00 pyramidalis. 1 yr. 50 3 00 medium, white, single. 1 00 4 00 pyramidalis. 1 yr. 1 00 4 00 pyramidalis. 1 yr. 1 00 4 00 pyramidalis alba. 1 yr. 1 00 4 00 pyramidalis alba. 1 yr. 1 00 4 00 pyramidalis alba. 1 yr. 1 00 4 00 crotundifolia (Harebell). 75 4 00 CASSIA Marilandica (American Senna). 3 ft., yellow. 75 3 00 CAULOPHYLLUM thalictroides (Blue Cohosh). 75 4 00 CHELONE glabra (Snake-Head). White flowers. Coll. 75 4 00 CHELONE glabra (Snake-Head). White flowers. Coll. 75 4 00 CHELONE glabra (Snake-Head). White flowers. Coll. 75 4 00 CHELONE glabra (Snake-Head). White flowers. Coll. 75 4 00 CHELONE glabra (Snake-Head). White flowers. Coll. 75 4 00 CHELONE glabra (Snake-Head). White flowers. Coll. 75 4 00 CHELONE glabra (Snake-Head). White flowers. Coll. 75 4 00 CHELONE glabra (Snake-Head). White flowers. Coll. 75 4 00 CHELONE glabra (Snake-Head). White flowers. Coll. 75 4 00 CHELONE glabra (Snake-Head). White flowers. Coll. 75 4 00 CHELONE glabra (Snake-Head). White flowers. Coll. 75 4 00 CHELONE glabra (Snake-Head). White flo			0
Cœrulea I yr.		I 00	8 00
Chrysantha		5 00	
Chrysantha alba			
Skinneri. Yellow and orange		4 00	
vulgaris. 2 yrs. 1 25 Canadensis. Red and yellow. Coll. 50 3 00 ARISÆMA triphyllum (Wild Turnip) 50 3 00 ARISTOLOCHIA serpentaria 75 4 00 ASARUM Canadensis (Wild Ginger). Purple flowers 50 3 00 ASCLÉPIAS incarnata. Flowers purple, showy; 2 yrs. 75 4 00 ASCLÉPIAS incarnata. Flowers purple, showy; 2 yrs. 75 4 00 ASCLÉPIAS incarnata. Flowers purple, showy; 2 yrs. 75 4 00 ASCLÉPIAS incarnata. Flowers purple, showy; 2 yrs. 75 4 00 ASCLÉPIAS incarnata. Flowers swhite, on wand-like stems. 75 4 00 Coll. 75 4 00 15 00 ASTER ericoides. Flowers white, on wand-like stems. 75 4 00 Coll. 75 4 00 15 00 Maction. 75 4 00 15 00 Maction. 75 4 00 15 00 Novæ-Angliæ (N. E. Aster). Large purple flowers. 75 4 00 <td></td> <td></td> <td></td>			
Canadensis. Red and yellow. Coll			
ARISÆMA triphyllum (Wild Turnip)			
ARISTOLOCHIA serpentaria		_	
ASARUM Canadensis (Wild Ginger). Purple flowers		-	
ASCLÉPIAS incarnata. Flowers purple, showy; 2 yrs. 75 4 00 tuberosa, 1 yr. 50 3 00 ASTER ericoides. Flowers white, on wand-like stems. Coll. 75 4 00 lævis. Large dark blue flowers. Coll. 75 4 00 multiflorus. Small white flowers; fine. Coll. 75 4 00 Novæ-Angliæ (N. E. Aster). Large purple flowers 75 4 00 patens. Flowers deep purple; low-growing. Coll. 75 4 00 CALLIRRHOË involucrata. Flowers large, crimson, fine. 75 4 00 CAMASSIA Fraseri (Wild Hyacinth). Light blue 50 3 00 Cusickii. 2 ft.; light blue, large bulbs 125 CAMPANULA alliariæfolia. 1 yr 50 3 00 Carpatica. 2 yrs. 1 00 5 00 Carpatica alba. 2 yrs. 1 00 5 00 medium (Canterbury Bells) 75 3 00 medium, white, single. 1 00 4 00 medium, double, mixed 1 00 4 00 pyramidalis. 1 yr. 1 00 4 00 pyramidalis alba. 1 yr. 1 00 4 00 rotundifolia (Harebell) 75 4 00 CASSIA Marilandica (American Senna). 3 ft., yellow 75 3 00 CHELONE glabra (Snake-Head). White flowers. Coll. 75 4 00 CHELONE glabra (Snake-Head). White flowers. Coll. 75 4 00		4 00	
### ASTER ericoides. Flowers white, on wand-like stems. Coll.	ASARUM Canadensis (Wild Ginger). Purple flowers 50	3 00	15 00
### ASTER ericoides. Flowers white, on wand-like stems. Coll.	ASCLÉPIAS incarnata. Flowers purple, showy; 2 yrs 75	4 00	
Coll.	tuberosa. I yr 50	3 00	
lævis. Large dark blue flowers. Coll			
multiflorus. Small white flowers; fine. Coll 75 4 00 15 00 Novæ-Angliæ (N. E. Aster). Large purple flowers. 75 4 00 patens. Flowers deep purple; low-growing. Coll. 75 4 00 CALLIRRHOË involucrata. Flowers large, crimson, fine. 75 4 00 CAMASSIA Fraseri (Wild Hyacinth). Light blue		4 00	15 00
Novæ-Angliæ (N. E. Aster). Large purple flowers. 75 4 00 patens. Flowers deep purple; low-growing. Coll. 75 4 00 CALLIRRHOË involucrata. Flowers large, crimson, fine. 75 4 00 CAMASSIA Fraseri (Wild Hyacinth). Light blue 50 3 00 Cusickii. 2 ft.; light blue, large bulbs 1 25 CAMPANULA alliariæfolia. 1 yr 50 3 00 Carpatica. 2 yrs 1 00 5 00 Carpatica alba. 2 yrs 1 00 5 00 medium (Canterbury Bells) 75 3 00 medium, white, single 1 00 4 00 medium, double, mixed 1 00 4 00 pyramidalis. 1 yr 1 00 4 00 pyramidalis alba. 1 yr 1 00 4 00 rotundifolia (Harebell) 75 4 00 Van Houttei. Deep blue. 1 yr 1 00 4 00 CASSIA Marilandica (American Senna). 3 ft., yellow 75 3 00 CAULOPHYLLUM thalictroides (Blue Cohosh) 75 4 00 CHELONE glabra (Snake-Head). White flowers. Coll. 75 4 00		4 00	
patens. Flowers deep purple; low-growing. Coll. 75 4 00 CALLIRRHOË involucrata. Flowers large, crimson, fine. 75 4 00 CAMASSIA Fraseri (Wild Hyacinth). Light blue 50 3 00 Cusickii. 2 ft.; light blue, large bulbs 1 25 CAMPANULA alliariæfolia. 1 yr 50 3 00 Carpatica. 2 yrs 1 00 5 00 Carpatica alba. 2 yrs 1 00 5 00 medium (Canterbury Bells) 75 3 00 medium, white, single 1 00 4 00 medium, double, mixed 1 00 4 00 pyramidalis. 1 yr 1 00 4 00 pyramidalis alba. 1 yr 1 00 4 00 rotundifolia (Harebell) 75 4 00 Van Houttei. Deep blue. 1 yr 1 00 4 00 CASSIA Marilandica (American Senna). 3 ft., yellow 75 3 00 CAULOPHYLLUM thalictroides (Blue Cohosh) 75 4 00 CHELONE glabra (Snake-Head). White flowers. Coll. 75 4 00			15 00
CALLIRRHOË involucrata. Flowers large, crimson, fine. 75 4 00 CAMASSIA Fraseri (Wild Hyacinth). Light blue 50 3 00 Cusickii. 2 ft.; light blue, large bulbs 1 25 CAMPANULA alliariæfolia. 1 yr 50 3 00 Carpatica. 2 yrs 1 00 5 00 Carpatica alba. 2 yrs 1 00 5 00 medium (Canterbury Bells)			
CAMASSIA Fraseri (Wild Hyacinth). Light blue 50 3 00 Cusickii. 2 ft.; light blue, large bulbs 1 25 CAMPANULA alliariæfolia. 1 yr 50 3 00 Carpatica. 2 yrs 1 00 5 00 Carpatica alba. 2 yrs 1 00 5 00 medium (Canterbury Bells) 75 3 00 medium, white, single 1 00 4 00 medium, double, mixed 1 00 4 00 pyramidalis. 1 yr 1 00 4 00 pyramidalis alba. 1 yr 1 00 4 00 rotundifolia (Harebell) 75 4 00 Van Houttei Deep blue 1 yr 1 00 4 00 CASSIA Marilandica (American Senna) 3 ft., yellow 75 3 00 CAULOPHYLLUM thalictroides (Blue Cohosh) 75 4 00 CHELONE glabra (Snake-Head) White flowers Coll 75 4 00 CHRYSANTHEMUM maximum 1 yr 50 3 00		4 00	
Cusickii. 2 ft.; light blue, large bulbs		4 00	
CAMPANULA alliariæfolia. 1 yr 50 3 00 Carpatica. 2 yrs 1 00 5 00 Carpatica alba. 2 yrs 1 00 5 00 medium (Canterbury Bells) 75 3 00 medium, white, single 1 00 4 00 medium, double, mixed 1 00 4 00 pyramidalis. 1 yr 1 00 4 00 pyramidalis alba. 1 yr 1 00 4 00 rotundifolia (Harebell) 75 4 00 Van Houttei Deep blue 1 yr 1 00 4 00 CASSIA Marilandica (American Senna) 3 ft., yellow 75 3 00 CAULOPHYLLUM thalictroides (Blue Cohosh) 75 4 00 CHELONE glabra (Snake-Head) White flowers Coll 75 4 00 CHRYSANTHEMUM maximum 1 yr 50 3 00	CAMASSIA Fraseri (Wild Hyacinth). Light blue 50	3 00	
Carpatica. 2 yrs. 1 00 5 00 Carpatica alba. 2 yrs. 1 00 5 00 medium (Canterbury Bells) 75 3 00 medium, white, single. 1 00 4 00 medium, double, mixed. 1 00 4 00 pyramidalis. 1 yr. 1 00 4 00 pyramidalis alba. 1 yr. 1 00 4 00 rotundifolia (Harebell) 75 4 00 Van Houttei. Deep blue. 1 yr. 1 00 4 00 CASSIA Marilandica (American Senna). 3 ft., yellow. 75 3 00 CAULOPHYLLUM thalictroides (Blue Cohosh) 75 4 00 CHELONE glabra (Snake-Head). White flowers. Coll. 75 4 00 CHRYSANTHEMUM maximum. 1 yr. 50 3 00			
Carpatica alba. 2 yrs 1 00 5 00 medium (Canterbury Bells) 75 3 00 medium, white, single. 1 00 4 00 medium, double, mixed 1 00 4 00 pyramidalis. 1 yr. 1 00 4 00 pyramidalis alba. 1 yr. 1 00 4 00 rotundifolia (Harebell) 75 4 00 Van Houttei. Deep blue. 1 yr. 1 00 4 00 CASSIA Marilandica (American Senna). 3 ft., yellow 75 3 00 CAULOPHYLLUM thalictroides (Blue Cohosh) 75 4 00 CHELONE glabra (Snake-Head) White flowers. Coll. 75 4 00 CHRYSANTHEMUM maximum. 1 yr. 50 3 00		3 00	
medium (Canterbury Bells) 75 3 00 medium, white, single 1 00 4 00 medium, double, mixed 1 00 4 00 pyramidalis 1 yr 1 00 4 00 pyramidalis alba 1 yr 1 00 4 00 rotundifolia (Harebell) 75 4 00 Van Houttei Deep blue 1 yr 1 00 4 00 CASSIA Marilandica (American Senna) 3 ft., yellow 75 3 00 CAULOPHYLLUM thalictroides (Blue Cohosh) 75 4 00 CHELONE glabra (Snake-Head) White flowers Coll 75 4 00 CHRYSANTHEMUM maximum 1 yr 50 3 00	Carpatica. 2 yrs 1 00	5 00	
medium, white, single. 1 00 4 00 medium, double, mixed. 1 00 4 00 pyramidalis. 1 yr. 1 00 4 00 pyramidalis alba. 1 yr. 1 00 4 00 rotundifolia (Harebell). 75 4 00 Van Houttei. Deep blue. 1 yr. 1 00 4 00 CASSIA Marilandica (American Senna). 3 ft., yellow. 75 3 00 CAULOPHYLLUM thalictroides (Blue Cohosh). 75 4 00 CHELONE glabra (Snake-Head). White flowers. Coll. 75 4 00 CHRYSANTHEMUM maximum. 1 yr. 50 3 00	Carpatica alba. 2 yrs	-	
medium, double, mixed	medium (Canterbury Bells)	3 00	
pyramidalis. 1 yr	medium, white, single 1 00	4 00	
pyramidalis alba. 1 yr			
rotundifolia (Harebell)	pyramidalis, i yr i oo	4 00	
Van Houttei. Deep blue. 1 yr. 1 00 4 00 CASSIA Marilandica (American Senna). 3 ft., yellow 75 3 00 CAULOPHYLLUM thalictroides (Blue Cohosh) 75 4 00 CHELONE glabra (Snake-Head). White flowers. Coll. 75 4 00 CHRYSANTHEMUM maximum. 1 yr. 50 3 00	pyramidalis alba. I yr I 00		
CASSIA Marilandica (American Senna). 3 ft., yellow	Van Houttei Deep blue vyr		
CAULOPHYLLUM thalictroides (Blue Cohosh)	CASSIA Marilandica (American Sanna) a ft. vellow 75		
CHELONE glabra (Snake-Head). White flowers. Coll 75 4 00 CHRYSANTHEMUM maximum. 1 yr 50 3 00	CATIONEVILLIM thelistroides (Disc Calasta)	_	
CHRYSANTHEMUM maximum. 1 yr 50 3 00	OHDLOND 11 (C 1 II I) III I		
CINIOIDIO A		4 00	
CIMICIFUGA racemosa (Black Snakeroot). White flowers. 75 4 00		3 00	
(2 11011 2 11011 2 11011 2 11011 11011 11011 11011 11011 11011 11011 11011 11011 11011 11011 11011 11011 11011	CIMICIFUGA racemosa (Black Snakeroot). White flowers. 75	4 00	

NAPOLEON III-A HARDY CARNATION

of healthy and vigorous growth, forming fine large clumps, the double bright crimson fragrant flowers supported on straight, firm stems, flowering through the season. I yr., 75 cts. per dozen, \$4 per 100.

"Miellez's Revelation" in Lily-of-the-Valley.

It is of extraordinary size and vigor, of the most exquisite fragrance, and does well under all conditions and in all sorts of soils, growing just as well in full sun as partial shade. It is extremely hardy, and while not increasing quite as fast as the common kinds, is still of good increase. It is well to cover it in December with a good coat of barnyard manure—cow or horse—green is just as good as old. Leave it in the spring to serve as mulch. The Massachusetts Horticultural Society awarded it a "First Class Certificate of Merit" on May 22, 1897. \$1 per dozen, \$4 per 100.

		12	10		1,0	000
CONVALLARIA majalis (Lily-of-the-Valley)	₿Ι	oc	\$4	00		
majalis. Large fine clumps	2	50	10	00		
COPTIS trifolia (Goldthread). Small white flowers		75	3	00		
COREOPSIS lanceolata. 1 yr		75	3	00		
CORNUS Canadensis (Dwarf Cornel). Clumps, Coll.	I	25	5	00		
CYNTHIA Virginica		50	3	00		
CLAYTONIA parviflora. Flowers pink; from Oregon		50	3	00	\$15	00
Virginica (Spring Beauty). Coll		50	3	00		
DELPHINIUM Cashmerianum. 1 yr		75				
grandiflorum (Larkspur). Low growing,		-				
very beautiful. 1 yr		50	_	00		
grandiflorum album. 1 yr		75		00		
formosus. Tall, 4 to 6 ft	I	00		00		
DENTARIA diphylla (Pepper-Root)		50	_	00		
maxima. Pretty little pink flowers. Coll		75	•	00		
laciniata. Flowers pale purple DIANTHUS barbatus (Sweet William). 1 yr		75	-	00		
barbatus fl. pl. r yr		75		00		
deltoides (Maiden Pink). 1 yr		75 75	-	00		
plumarius. 2 yrs	т	00		00		
Her Majesty. 1 yr	-	75	_	00		
Mrs. Simkins. 1 yr		75		00		
DIGITALIS purpurea (Foxglove). 1 yr		75		00		
DICENTRA eximia. Beautiful flowers. 1 yr	I		4	00		
DODECATHEON Meadia (Shooting Star). Fine plants			5	00		
EPIGÆA repens (Trailing Arbutus). Fine plants. Coll			5	00		
ERYNGIUM yuccifolium (Button Snakeroot). 2 ft	I	00	4	00		
ERYTHRONIUM Americanum (Dog's Tooth Violet). Bright						
yellow flowers, large bulbs		75	4	00		
ECHINACEA purpurea (Purple Cone Flower). 1 yr		00	4	00		
EUPATORIUM ageratoides (White Snakeroot). Fine		75	3	00	15	00
EUPHORBIA corollata (Flowering Spurge). Fine, white.		50	3	00	15	00
GAILLARDIA grandiflora. 2 yrs	I	00	5	00		
GALAX aphylla. Evergreen; tinted leaves; white flowers.	I	00	5	00		
GAULTHERIA procumbens (Wintergreen). Clumps. Coll.	I	00	4	00		
GENTIANA Andrewsii (Closed Gentian). Dark blue	I	00	4	00		
GERANIUM maculatum (Crane's Bill). Coll		50	3	00		
GYPSOPHILA paniculata. 2 yrs		_	_	00		
HEUCHERA sanguinea. Fire red. 1 yr			•	00		
HEPATICA triloba. Round-leaved; flowers early. Coll.				00		
Round-leaved; nowers early. Con.	T	00	4	00		

HELIANTHUS decapetalus. 3 to 5 ft.; bright yellow	12	100	1,000
flowers	§o 75	\$4 00	
HYACINTHUS candicans. Large bulbs	50	2 00	
HIBISCUS Moscheutos rosea. Flowers large; rose-colored.	_		
ı yr	75	4 00	
Crimson Eye. Flowers pure white; crimson			
eye. 2 yrs	75	4 0 0	
HOLLYHOCKS, Double. Pink, canary yellow, crimson,			
white and salmon. I yr	1 00	4 00	
HOUSTONIA cœrulea (Bluets). White and purple; tufts.			
Coll	25	2 00	\$10 00
purpurea. Waxy white flowers; clumps	75	4 00	
HYDRASTIS Canadensis (Orange Root). Rare	75	4 00	
IRIS cristata. Light blue flowers. 6 in	75	3 00	10 00
pumila (Dwarf Iris). Purple flowers; early; 3 to			
6 in	75	3 00	
pumila alba	75	3 00	
pumila azurea. Blue. 1 yr	75	3 00	
pumila sulphurea. 1 yr	75	3 00	
Pseud-acorus. 2 yrs		4 00	
verna. Crested yellow; low growing	75 50	3 00	
versicolor. Large, blue flowers. 1 to 2 ft. Coll	50	3 00	15 00
Virginica. Slender; flowers blue and white. I ft	50	3 00	-5 -0
Germanica (German Iris). In mixed colors	40	I 50	
Yellow	40	2 00	
White	40	2 00	
Purple	40	2 00	
Blue	40	2 00	
Kæmpferi (Japan Iris). Mixed colors; clumps	75	4 00	
Arthur Silbard. Single; white	I 00	5 00	
gloriosa. Double; deep blue	1 .00	5 00	
Tokio. Semi-double; blue and white		5 00	
J. C. Vaughan, White		5 00	
Romeo. Deep maroon; fine	I 00	5 00	
Robert Craig. White and violet.	I 00	5 00	
Dictator. Single; deep purple		5 00 5 00	
Yellow		5 00	
Seedlings of above Japan Iris. 2 yrs	1 00	2 00	
LEWISIA rediviva (Spatlum). Large pink or white			
flowers	75	4 00	
LIATRIS graminifolia. Coll	75	4 00	
pycnostachya (Kansas Gay Feather). Fine	1 00	4 00	
scariosa (Button Snakeroot). 2 to 5 ft. Coll	75	3 00	15 00
spicata (Spiked Blazing Star)	75	3 00	
LILIUM auratum. Large bulbs; home-grown	I 25	6 00	
elegans. Home-grown		5 00	
Canadense. Nice bulbs	75	4 00	
Canadense, var. flavum. Yellow flowers		5 00	
Canadense, var. rubrum. Red flowers Humboldtii. 3 to 6 ft. Reddish orange flowers.	I 00	5 00	
Philadelphicum (Wild Orange-Red Lily)		12 00	
superbum. Tall, 4 to 8 ft. Many flowers	75 50	4 00 3 00	
	50	2 00	
LOBELIA cardinalis (Cardinal Flower). Flowers red.	~ -	2 00	10 00
Collsyphilitica (Great Blue Lobelia). Fine plants.	75 75	3 00 3 00	10 00
by partition (Great Dide Lovella). Time plants.	75	2 00	•

LUPINUS perennis (Wild Lupine). Coll\$0	2 50	\$3 oo	\$1,000 \$15 OO
LYCHNIS Haageana. Scarlet. 1 yr	75	4 00	
Haageana grandiflora alba. 1 yr	75	4 00	
chalcedonica. 2 yrs	00	4 00	
chalcedonica alba. 2 yrs	00	4 00	
viscaria splendens (Ragged Robin). 2 yrs 1 viscaria alpina fl. pl. 1 yr 1	00	4 00	
T A MITSTO TO 1 od 1 d 1 d 1 d 1 d 1 d 1 d 1 d 1 d 1		4 00	
1-4:6-1:	25 25		
LYTHRUM roseum superbum. 1 yr	75	3 00	
	25	2 00	8 oo
MERTENSIA Virginica (Virginia Cowslip). Established. 1	00	5 00	
TETROTTOTT A (D. 111 D. 11 D. 11	00	4 00	25 00
MITELLA diphylla (Bishop's Cap). Nice for rockery	50	3 00	-
MONARDA didyma (Oswego Tea). Bright red flowers 1	00	3 00	
MYOSOTIS palustris (Forget-me-not)	50	3 00	
NARCISSUS Poeticus (Poet's Narcissus). Fine bulbs	50	3 00	10 00
OXALIS acetosella. White flowers, purple veins	50	3 00	
violacea. Flowers pink; fine dark foliage	50	3 00	
PARNASSIA Caroliniana. Large white flowers. Coll	50	3 00	15 00
PHLOX maculata (Wild Sweet William)	50	3 00	
subulata (Moss Pink). Coll	50	3 00	
subulata alba (Pure White)	75	4 00	
PHLOX, HYBRID. Can supply the following Hardy Phlox			
in good flowering clumps, mixed: Miss Lingard; curly			
white, with lavender eye. Lothair; brilliant salmon, cardinal eye. La Pole Nord; pure white, crimson			
eye. Concours; rosy carmine, fire-colored center.			
Independence; pure white 1	00	4 00	
DODODOTTE TITLE	75	4 00	
	00		
	00	4 00	
	00	,	
RHEXIA Virginica (Meadow Beauty)	75	3 00	
RUDBECKIA lanceolata (Golden Glow). 2 yrs	25	5 00	
SANGUINARIA Canadensis (Blood Root)	75	3 00	
SEDUM acre. Yellow flowers	50	2 00	
SHORTIA galacifolia	25	5 00	
SILENE Virginica (Fire Pink)		5 00	
SILPHIUM terebinthinaceum (Prairie Dock). Large I		5 00	
laciniatum (Compass Plant). Large 1		5 00	
SOLIDAGO odora (Sweet Goldenrod). Very desirable for			
open places, especially near the sea I		5 00	
STREPTOPUS roseus (Twisted Stalk). Small rose flowers I	co	4 00	

PANSY PLANTS.

20 cts. per doz., \$1 per 100, \$7 per 1,000.

Transplanted and grown in open ground in nursery rows. Extra fine strain in mixed colors.

	12	100	1,000
STYLOPHORUM diphyllum (Celandine Poppy). Flowers	12	100	1,000
very large, yellow, and beautiful cut leaves\$1	00	\$5 00	
THALICTRUM anemonoides (Rue Anemone). gin., white.	75	3 00	
dioicum. 1 to 2 ft., purple flowers; de-			
sirable	75	4 00	
cornuti (Tall Meadow Rue). 4 to 8 ft.;			
white flowers	75	4 00	
TIARELLA cordifolia. 6 in.; small white flowers	50	3 00	
TRADESCANTIA Virginica (Spiderwort). Flowers blue.	75	4 00	
TRILLIUM cernuum. Nodding white flowers; 1 ft	75	4 00	
grandiflorum. Pure white, flowering bulbs	50	2 00	\$12 00
erectum. Dark purple flowers, fine bulbs	75	3 00	
erectum, var. album. Greenish white flowers.	75	3 00	
nivale. 4 to 12 in., early, small white flowers. 1	00	4 00	
recurvatum. Leaves spotted, purple flowers. 1	00	4 00	
sessile. Flowers dark purple; desirable 1	00		
sessile, var. Californicum. Large white flowers. 1	25	5 00	
stylosum. Rare, pink flowers. Coll 1	00	4 00	
erythrocarpum (Painted Trillium). Coll I	00	4 00	
TROLLIUS laxus (Globe Flower). Large yellow flowers. 1	00		
UVULARIA grandiflora (Large Bellwort). Yellow flowers.	50	3 00	15 00
perfoliata. Smaller than the last	50	3 00	15 00
sessilifolia. Sessile leaves; pretty	50	3 00	15 00
VANCOUVERIA hexandra. Wheel-shaped white flowers,			
ı ft.; a very desirable bedding plant.	50	3 00	
VERNONIA Noveboracensis (Iron Weed). 3 to 5 ft., pur-			
ple flowers in small heads	75	4 00	
VIOLA Canadensis. White and purple flowers	75	4 00	
pubescens. Flowers yellow; dry soils. Coll	50	3 00	
rotundifolia. Flowers yellow; moist soils	75	4 00	
rostrata. Flowers blue or purple; moist shades.	50	3 00	
blanda (Sweet White Violet). Wet, open places	50	3 00	70.00
canina, var. sylvestris (Dog Violet). Blue. Coll. pedata (Bird's Foot Violet). Large blue flowers;	50	2 00	10 00
4 11 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	00	4 00	
	00	4 00	
VINCA minor (Common Periwinkle). Selected plants\$0		\$2 00	\$10 0 0
minor, var. alba. Pure white flowers; fine	75	4 00	Ψ10 00
· · · · · · · · · · · · · · · · · · ·	, 0		
,	50	7 00	
ZEPHYRANTHES candida. Large pure white flowers		I 00	

CALIFORNIA VIOLET.

Per dozen, \$1.

This is a strong, vigorous grower, with **very large** single purple flowers, borne on long stems; quite fragrant.

BOG AND AQUATIC PLANTS.

ACORUS Calamus (Sweet Flag). 2 ft. Coll		\$3 oo	\$15 00
BRASENIA peltata. Small floating leaves; water. Coll	75	3 00	15 00
CALLA palustris (American Calla). Fine for bog	75	3 00	
CALTHA palustris. Large yellow flowers, bog or garden.	75	3 00	

DIONÆA muscipula (Venus' Fly Trap). Flowers white \$1 00	\$4 00	1,000
DROSERA filiformis (Thread-Leaved Sundew). Neat 50	3 00	
longifolia. Small white flowers; bog 50	3 00	
rotundifolia. Round leaves; bog 50	3 00	
HELONIAS bullata (Stud Flower). Beautiful pink flowers. 1 00	5 00	
LIMNANTHEMUM lacunosum (Floating Heart). Water.	•	
Coll	4 00	
MENYANTHES trifoliata (Buck Bean). Coll 50	3 00	\$15 00
NASTURTIUM officinale (True Water Cress). Coll 50	2 00	10 00
NESÆA verticillata. A fine water shrub. Coll I oo	3 00	15 00
NUPHAR advena (Common Yellow Lily). Large roots.		-
Coll 1 00	5 00	
NYMPHÆA odorata (White Water Lily). Large roots.		
Coll 1 00	5 o o	30 00
odorata minor. Smaller flowers. Coll 1 00	5 00	
ORONTIUM aquaticum. Small plants, velvety leaves.		
Coll	4 00	
PELTANDRA Virginica (Water Arum). A fine water		
plant. Coll 1 00	5 00	
PONTEDERIA cordata. Spikes of blue flowers in water.		
Coll 1 00	5 00	
SARRACENIA purpurea (Pitcher Plant). Red flowers.		
Coll	3 00	14 00
flava (Trumpet Leaf). Flowers yellow,		
large plants 1 25	7 00	
Drummondii. Flowers purple; leaves 1	10.00	
to 2 ft	10 00	
Psittacina (Parrot-Beaked Pitcher Plant).	70.00	
Flowers purple 2 oo rubra (Red-Flowered Trumpet Leaf). Fine	10 00	
clumps 1 50	7 00	
variolaris. Spotted leaved; flowers yellow. 1 25	7 00	
TYPHA latifolia (Cat-Tail). 2 to 4 ft. Coll	4 00	
VACCINIUM macrocarpon (American Cranberry). Coll 25	I 50	5 00
, , , , , , , , , , , , , , , , , , ,	5	

SHRUBS DESIRABLE FOR THE BOG GARDEN.

Andromeda polifolia. I ft.
Azalea viscosa. 4 to 10 ft.
Cassandra calyculata. I ft.
Cephalanthus occidentalis. 4 ft.
Ilex verticillata. 3 ft.
Kalmia angustifolia. I ft.
glauca. 2 ft.

Ledum latifolium. 2 ft.
Nemopanthes Canadensis. 4 ft.
Nesæa verticillata. 2 ft.
Pyrus arbutifolia. 5 ft.
Rhodora Canadensis. 2 ft.
Vaccinium stramineum. 3 ft.
corymbosum. 5 to 10 ft.

ORCHIDS.

I offer in the following list of Orchids the greater share of the most desirable for cultivation found in the United States. Most of them are taken from their native habitat and transplanted into soil best adapted for their growth.

	12	100	1,000
Aplectrum hyemale. Fine for moist shades	00	\$5 00	
Calopogon pulchellus. Desirable for the bog. Coll	50	3 00	
Calypso borealis. Showy pink flowers; damp shades.			
Coll	00	5 00	

ORCHIDS, continued.		-			
Cypripedium acaule (Red Lady Slipper). Dry shades		00	10	00	1,000
pubescens (Large Yellow). Fine			-	00	
spectabile—		•	•		
Large, pink-purple flowers. Clumps	2	00	8	00	
Clumps	2	25	10	00	
Extra fine clumps.	3	00	15	00	
XXX, 10 crowns or moreEach, \$1					
Goodyera pubescens—					
Beautiful leaves		00			
Good stock. Coll		50	3	00	\$15 00
Menziesii. Flowers white, leaves spotted. Coll.			5	00	
Habenaria blepharioglottis (White-Fringed Orchid)			8	00	
ciliaris. Beautifully fringed; yellow			5	00	
Hookeri. Flowers greenish; very large plants.			6	00	
psycodes. 1 to 3 ft. Flowers purple; fringed.			6	00	
Liparis lilifolia. 4 in. Purplish flowers; moist shades			5	00	
Læssellii. Flowers greenish yellow; wet soils			5	00	
Orchis spectabilis (Showy Orchid). Pink-purple flowers	I	00	5	00	
Pogonia ophioglossoides. A bog plant with pale rose					-4
flowers		75	4	00	15 00
Spiranthes cernua (Ladies' Tresses). Flowers white		50	3	00	
gracilis		50	3	00	

FERNS.

The Ferns of New England are among the most charming of our hardy perennials. They are so easily grown that every park or yard may have them. If you wish to beautify a dark nook shut in by buildings or trees where flowers will not thrive, try a few ferns, and note the change. You can select from my list of about 40 kinds those suited for almost any situation that will sustain plant life.

1116.				00	1,0	
Adiantum pedatum (Maidenhair). Graceful; clumps\$		75		0 0	\$25	
Aspidium acrostichoides (Christmas Fern). Evergreen		50		00		00
aculatum, var. Braunii. Evergreen. 1 to 2 ft	T		-	00	- 3	
cristatum. A low evergreen; moist shades	_	- 5 75		00		
cristatum, var. Clintonianum. Much larger	T		_	00		
Boottii. Intermediate between cristatum and	-		J			
spinulosum	т	2.5	6	00		
Filix-mas (Male Fern). Beautiful and rare	T	25		00		
Goldianum. Broad, light green fronds; well	•	- 3	,			
established. 2 to 4 ft	т	25	7	00		
marginale. Dark evergreen; rocky places	-	75	•	00	15	00
munitum. An evergreen from Oregon	т		_	00	- 3	
Noveboracense. Moist, shady places	•	75	•	00	15	00
spinulosum. A finely cut evergreen		75 75		00	-	00
spinulosum, var. dilatatum. Broad fronds	т		•	00		-
Thelypteris. Wet, open places. I ft		75	,	00	т 5	00
Asplenium angustifolium. Rich shades. 1 to 3 ft				00	1)	
ebeneum. Rocky places; dark stripes. 6 to	1	00	4	00		
12 in		50	2	00	15	00
Filix-fœmina. Fine tall fern; easily grown		75	-	00	-	00
thelypteroides,				00	13	•
Trichomanes. Evergreen; in tufts. 3 to 6 in.		75	•	00	T 5	00
Botrychium ternatum dissectum. Fine cut leaves. Coll.		50 00	_	00	13	00
			9			
ternatum obliquum. Oblique-Leaved. Coll	I		•	00		
Virginicum. Light green; shades. 6 to 12 in.		75	4	00		



 $Dick sonia\ punctilobula.$

FERNS, continued.		
Camptosorus rhizophyllus (Walking Leaf). Fine \$0 50	\$3 00	\$1,000 \$15 00
Cheilanthes vestata. Evergreen. South. 2 to 12 in 1 oc	4 00	φ15 00
Cryptogramma acrostichoides. Fine clumps. 4 to 8 in 1 25	5 00	
Cystopteris bulbifera. Bright green fern; moist soil 50	-	
fragilis. Finely cut fronds; rocks 50		15 00
Dicksonia punctilobula. Forms large patches; 2 to 3 ft 75	•	12 00
Lygodium palmatum (Climbing Fern). Climbing over		
bushes. I to 3 ft. Coll I oc	4 00	
Onoclea sensibilis (Sensitive Fern). Wet soils. 1 to 2 ft. 50		15 00
struthiopteris (Ostrich Fern). Fine. 1 to 6 ft 1 25		35 00
Ophioglossum vulgatum (Adder's Tongue). Coll 75		
Osmunda gracilis (Flowering Fern). Large plants. Coll. 1 25		
Claytoniana. Large clumps. 1 to 5 ft. Coll. 1 25	_	
cinnamomea (Cinnamon Fern). 1 to 6 ft. Coll. 1 29	•	
Pellæa atropurpurea (Cliff Brake). Dry cliffs. Coll 1 od densa (Oregon Cliff Brake). Clumps. Coll 1 od		
gracilis. Fine for rock garden, 2 to 6 in 1 oc		
Phegopteris Dryopteris (Beech Fern). 6 to 10 in.; neat 75	-	
hexagonoptera. Broad fronds. 7 to 12 in 7		
polypodoides. Smaller and darker. 4 to 8 in. 7	-	
Polypodium vulgare (Polypody). Evergreen, on rocks. 3	, , ,	
to 6 in 50	3 00	15 00
falcatum. From Oregon, graceful. 6 to		
Scolopendrium vulgare (Hart's Tongue). Very rare;	5 00	
Scolopendrium vulgare (Hart's Tongue). Very rare;		
clumps 2 7		
Woodsia Ilvensis. Dry, exposed rocks; clumps 1 oc		
glabella. Cliffs. I to 4 in I 2		
obtusa. Rocks, neat. 6 to 12 in		
Oregana. Oregon. 2 to 8 in	5 00	
plants 1 00	4 00	
Virginica. Wet soils. 2 to 3 ft. Coll I of		20 00
J	•	
CLUB MOSSES.		
Lycopodium dendroidum (Ground Pine). Used extensively	100	1,000
as Christmas green. 4 to 8 in. Coll\$1 2	\$6 00	
lucidulum (Shining Club Moss). 3 to 8 in.	, μυ συ	
Coll	3 00	\$15 co
Selaginella apus. Light green creeper, wet soils. Coll. 5	-	15 00
rupestris. Little tufts, dry soils. I to 3 in.		
Coll 7	5 4 00	

SPECIAL COLLECTIONS OF FERNS.

The following collections of Ferns are made up to help in selecting for special wants, and should go by express or freight.

No. 1.—(\$3.00) For Open Sun Culture.

This collection is desirable for the open border and, all being rather tall, can be grown as single specimens or for massing with or without flowers.

- 6 Onoclea struthiopteris,
- 24 Dicksonia punctilobula,
- 6 Osmunda Claytoniana,
- 6 Lygodium palmatum.

No. 2.—(\$3.00) For Dry, Shady Places.

These Ferns will grow in a dry, shady place. Plant them where flowers as a rule do not thrive.

- 12 Aspidium acrostichoides,
- 12 Dicksonia punctilobula,
- 12 Aspidium marginale,
- 12 Osmunda Člaytoniana.

No. 3.—(\$3.00) For Moist, Shady Places.

This collection is very fine and easily handled in moist, shady places, also for large rockery.

- 6 Adiantum pedatum,
- 6 Aspidium cristatum,
- 6 Aspidium acrostichoides,
- 6 Aspidium spinulosum,
- 6 Aspidium marginale,

- 6 Asplenium thelypteroides,
- 6 Asplenium Filix-fæmina,
- 6 Phegopteris hexagonoptera,
- 6 Woodwardia angustifolia.

No. 4,—(\$3.00) For Wet, Open Ground.

These Ferns are very useful for border of a lake or low, wet ground.

- 12 Aspidium Thelypteris,
- 12 Osmunda regalis,

12 Onoclea sensibilis,

12 Woodwardia Virginica.

No. 5.—(\$3.00) Low Evergreen Ferns for Rockery in Shade.

This is a beautiful collection of low-growing Ferns and easily managed.

- 12 Asplenium ebeneum,
- 12 Asplenium Trichomanes,
- 12 Polypodium vulgare,
- 6 Woodsia obtusa.
- 12 Comptosorus rhizophyllus,

No. 6.—(\$3.00) Low Evergreen Ferns for Dry, Rocky Ledge.

- 12 Asplenium Trichomanes,
- 12 Polypodium vulgare,
- 12 Cheilanthes vestata,
- 12 Woodsia Ilvensis.

One-Half Any One of the Above Collections for \$1.75.

You will notice that some kinds are named in more than one collection. Such seem to thrive equally well in the localities named.

Address,

EDWARD GILLETT,

Southwick, Mass., U. S. A.